



# Alpha Mixer





# What makes Alpha so much better?

The engineering that goes into SKAKO Concrete mixers continues to develop. The result is the ATLANTIS counter-current mixer which offers a series of new solutions designed for a long lifetime of producing very homogeneous mixes in short cycle times.



## Fully electric

Controlled by a hybrid belt/chain gear system, meaning that the mixer hardly uses any oil.



## Airbag

Anti-dust airbag system prevents the dust from entering the work environment



## Automatic cleaning

High-pressure system removes the need for manual cleaning inside the mixer.



## Inspection hatch

Top hatch for safe monitoring of the mixing process, with optional LED light.



## Sampler

Semi-auto, electro-hydraulic sampler for safe, easy concrete sample extraction.



## Safety system

Key-interlocked door safety exceeds EU quality and performance standards.



## Other highlights

### Less Noise

Makes less noise due to the new evolutionary design of the mixer.

### Low build height

The mixer is lower, making it easy to fit into an existing production.

### Camera

Remote camera surveillance monitors the mixing process from the control room.

### Water proportioning

Device for adding water during production, with different models for various concrete types.

### Shovels

Unique two-level shovel technology ensures precise, high-intensity mixing. Bolts are countersunk to prevent concrete sticking.

### Manual operation

Mixing tools easily adjusted for optimal positioning during servicing.

### Moisture control

Electrodes measure concrete humidity, automatically regulating water addition via SKAKOMAT 600.

### Discharge gates

Detachable hatch with a safety system for easy cleaning and maintenance.

Type	750	1125	1500	2250	3000	3750
Volume l/kg	125/200	1125/1800	1500/2400	2250/3600	3000/4800	3750/6000
Max. output per batch m <sup>3</sup>	0.5	0.75	1.0	1.5	2.0	2.5
Motor size kW	18,5	30	2x22	2x30	2x37	3x30
Mixer stars	1	1	2	2	2	3



[www.skakoconcrete.com](http://www.skakoconcrete.com)

**OFFICE HOURS**

Monday–Thursday: 07:30 – 15:30 CET

Friday: 07:30 – 15:00 CET

Tel.: +45 6361 6100

[sparepart@skako.com](mailto:sparepart@skako.com)

**Hotline**

Monday–Friday: 06:00 – 19:00 CET

Saturday–Sunday: Closed

Tel.: +45 7026 2645

[support@skako.com](mailto:support@skako.com)