



# Alpha Mixer





# What makes the Alpha mixer so much better?

If you need a reliable, durable, safe, and quick quality concrete mixer with a long operating life that is easy to use and maintain; our newest concrete mixer – the Alpha Mixer – is the right choice. The Alpha Mixer is a counter-current concrete mixer for production of high and low slump as well as SCC concrete.



## Fully electric

Controlled by a hybrid belt/chain gear system, meaning that the mixer hardly uses any oil.



## Transport friendly

Can be shipped as standard load in three parts. No need for special transportation.



## Automatic cleaning

High-pressure system removes the need for manual cleaning inside the mixer.



## Inspection hatch

Top hatch for safe monitoring of the mixing process, with optional LED light.




## Sampler

Semi-auto, electro-hydraulic sampler for safe, easy concrete sample extraction.



## Safety system

Key-interlocked door safety exceeds EU quality and performance standards.



## Other highlights

### Less Noise

Makes less noise due to the new evolutionary design of the mixer.

### Low build height

The mixer is lower, making it easy to fit into an existing production facility.

### Camera

Optional remote camera surveillance monitors the mixing process from the control room.

### Water proportioning

Device for adding water during production, with different models for various concrete types.

### Shovels

Unique two-level shovel technology ensures precise, high-intensity mixing. Bolts are countersunk to prevent concrete build-up.

### Manual operation

Mixing tools easily adjusted for optimal positioning during servicing.

### Moisture control

Electrodes measure concrete humidity, automatically regulating water addition via SKAKOMAT 600.

### Discharge gates

Detachable hatch with a safety system for easy cleaning and maintenance.

Type	750	1125	1500	2250	3000	3750
Volume yd <sup>3</sup> /lbs	1.0/2650	1.5/3970	2.0/5920	3.0/7940	4.0/10580	5.0/13230
Max. output per batch yd <sup>3</sup>	0.65	1.00	1.31	2.00	2.63	3.27
Motor size HP	25	40	2x30	2x40	2x50	3x40
Mixer stars	1	1	2	2	2	3



[www.skakoconcrete.com](http://www.skakoconcrete.com)

**OFFICE HOURS**

Monday–Thursday: 07:30 – 15:30 CET

Friday: 07:30 – 15:00 CET

Tel.: +45 6361 6100

[sparepart@skakoconcrete.com](mailto:sparepart@skakoconcrete.com)

**Hotline**

Monday–Friday: 06:00 – 19:00 CET

Saturday–Sunday: Closed

Tel.: +45 7026 2645

[support@skakoconcrete.com](mailto:support@skakoconcrete.com)