



Alpha Mixer





What makes the Alpha mixer so much better?

If you need a reliable, durable, safe, and quick quality concrete mixer with a long operating life that is easy to use and maintain; our newest concrete mixer – the Alpha Mixer – is the right choice. The Alpha Mixer is a counter-current concrete mixer for production of high and low slump as well as SCC concrete.



Fully electric

Controlled by a hybrid belt/chain gear system, meaning that the mixer hardly uses any oil.



Transport friendly

Can be shipped as standard load in three parts. No need for special transportation.



Automatic cleaning

High-pressure system removes the need for manual cleaning inside the mixer.



Inspection hatch

Top hatch for safe monitoring of the mixing process, with optional LED light.




Sampler

Semi-auto, electro-hydraulic sampler for safe, easy concrete sample extraction.



Safety system

Key-interlocked door safety exceeds EU quality and performance standards.



Other highlights

Less Noise

Makes less noise due to the new evolutionary design of the mixer.

Low build height

The mixer is lower, making it easy to fit into an existing production facility.

Camera

Optional remote camera surveillance monitors the mixing process from the control room.

Water proportioning

Device for adding water during production, with different models for various concrete types.

Shovels

Unique two-level shovel technology ensures precise, high-intensity mixing. Bolts are countersunk to prevent concrete build-up.

Manual operation

Mixing tools easily adjusted for optimal positioning during servicing.

Moisture control

Electrodes measure concrete humidity, automatically regulating water addition via SKAKOMAT 600.

Discharge gates

Detachable hatch with a safety system for easy cleaning and maintenance.

Type	750	1125	1500	2250	3000	3750
Volume l/kg	125/200	1125/1800	1500/2400	2250/3600	3000/4800	3750/6000
Max. output per batch m ³	0.5	0.75	1.0	1.5	2.0	2.5
Motor size kW	18,5	30	2x22	2x30	2x37	3x30
Mixer stars	1	1	2	2	2	3



www.skakoconcrete.com

OFFICE HOURS

Monday–Thursday: 07:30 – 15:30 CET

Friday: 07:30 – 15:00 CET

Tel.: +45 6361 6100

sparepart@skakoconcrete.com

Hotline

Monday–Friday: 06:00 – 19:00 CET

Saturday–Sunday: Closed

Tel.: +45 7026 2645

support@skakoconcrete.com